ELSEVIER

Journal of Materials Processing Technology 138 (2003) 615–616

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 138

Amada, S., 423
Atkinson, J., 163

Bangyan, Y., 390
Barnes, S., 411
Bowland, N.W., 82
Britnell, D.J., 306, 311
Bryden, B., 214, 411
Byon, S.M., 316

Čada, R., 170
Cao, Z.X., 116
Carrino, L., 417
Chan, F.T.S., 325, 349, 579
Chan, H.K., 325
Chan, K.C., 1
Chan, L.C., 610
Chan, L.Y., 243
Chan, S.F., 270
Chen, Z.H., 610
Chao, Y., 489
Chen, C.-H., 332
Chen, S.C., 22
Chen, S.R., 489
Cheng, K., 145
Cheung, C.F., 600
Chua, P.S.K., 123
Chuang, J.J., 138
Clifton, D., 449
Conti, C., 518
Cui, K., 394
Curran, R., 208

Dehombreux, P., 518
Ding, S., 138
Dyja, H., 120, 183, 256

Eakin, D., 208
Ema, S., 572
Epinat, M., 423

Fairlie-Clarke, A.C., 2
Fanghong, S., 468
Fujimoto, R., 41
Fusheng, H., 505

Gao, J.X., 82
Geiger, M., 594
Gibbons, G.J., 443
Giuliano, G., 417
Glander, M., 131
Gontarz, A., 156, 196
Gotoh, M., 545, 564
Gu, X.J., 600
Guimu, Z., 489
Guo, H.K., 379

Hadavi, S.M.M., 219
Haga, T., 366
Haili, W., 468
Hamdan, M.M., 436
Hamouda, A.M.S., 291, 436, 538
Han, Z., 138
Harrison, D.K., 145
Hayashi, K., 560
Hefa, C., 505
Heming, C., 399
Heydarzadeh Sohi, M., 63, 219
Hock, T.S., 75
Howarth, P., 449
Hsu, H.-C., 231
Hu, S.C., 403
Huang, G.Q., 301
Huang, M.H., 403
Humphreys, P., 236, 243
Humphreys, P.K., 301, 349
Hwang, S.M., 316

Ike, H., 250
Im, Y.-T., 532
Ip, K.W., 361
Ip, R.W.L., 325, 579
Ip, W.H., 265, 590
Itoh, M., 564

Jalali, M., 63
Jang, W., 372
Jianbin, X., 399
Jiang, Z., 145
Jianjiang, Z., 458
Jianning, W., 505
Jolgaf, M., 436
Jun, H., 472
Junchang, G., 505

Kang, B.-S., 58
Kar, P.K., 499
Karcher, A., 131
Kashi, A.A., 219
Kawałek, A., 183, 256
Khalid, Y.A., 291
Kim, D.-W., 372
Kim, J., 58
Kim, M.-E., 339
Kim, Y.-s., 545
Knapiński, M., 183
Koljonen, E.L., 9
Koyama, H., 343
Krakowiak, M., 120
Kumar, M., 297
Kumaraswamy, M., 243
Kundu, A., 208
Kuramoto, S., 41
Kwak, D.-Y., 531
Kwok, S.K., 600
Kwong, C.K., 361

Lai, C.L., 265
Lau, H.C.W., 325, 579
Law, C.K., 270
Lawrence, J., 551
Lee, J.J., 89
Lee, T.C., 610
Lee, W.B., 1, 265, 600
Lei, L., 458
Lei, L.-P., 58
Li, H.-W., 423
Li, L., 102, 109, 455, 551
Li, L.X., 379
Li, X.F., 455
Li, X.Q., 403
Li, Y., 475, 479, 508
Li, Z.Z., 513
Lian, S.-S., 231
Liang, J.Z., 408
Libao, A., 489
Lim, J.O., 89
Lim, G.H., 123
Lin, B., 484
Lin, Y.C., 22
Liu, D.C., 513
Liu, G.H., 53
Liu, L., 394
Lo, V.H.Y., 236
Loh, H.T., 53
Long, Y., 479
Lu, W.Z., 455

Mahdi, E., 291
Mai, Y.-W., 47
Mak, K.L., 301
Manabe, K.-i., 343
Mao, D., 605
Maranda, A., 256
Markowski, J., 183
Marui, E., 572
McFadden, R., 208
Mehta, D., 284
Mészáros, I., 152
Mills, B., 201
Min, D.-K., 339
Ming, C., 468

Elsevier Science B.V.
doi:10.1016/S0924-0136(03)00635-6

Mount, A.R., 449
Müller, M.H., 2
Müssig, B., 16

Na, D.-G., 372
Narayanasamy, R., 262
Neailey, K., 306
Nee, A.Y.C., 223
Ng, J.K.C., 590
Ngai, T.L., 479
Ngoi, B.K.A., 586
Novotny, S., 594
Nowaczewski, J., 256

Obikawa, T., 522
Ohashi, T., 560
Ong, S.K., 223
Oruganti, R.K., 97

Padmanabhan, K.A., 284
Pashby, I., 411
Pashby, I.R., 214
Pater, Z., 176
Petersson, B., 34
Polini, W., 417

Qi, H.S., 201
Qin, D., 429
Qiulin, D., 458
Quan, Y., 464

Raghukandan, K., 28
Raghunathan, S., 208
Rajotia, S., 297
Rao, K.P., 97
Reid, R.A., 9
Reinsch, S., 16
Renwei, Y., 468
Rochman, N.T., 41
Ruan, J., 116
Rybarczyk, A., 189
Rydz, D., 120

Saad, S.M., 277
Sahari, B.B., 291
Sahoo, R.K., 499
Sahoo, S.K., 499
Schmidt, B., 16
Schmidt, M.J.J., 102, 109
Senthilvelan, T., 28
Sharma, R., 82
Sherlock, A., 449
Shi, H.S., 357
Shin, K.C., 89
Shirakashi, T., 522
Shiu, W.K., 236
Shudao, L., 390
Shuqiao, Z., 468
Smith, G.F., 311
Spencer, J.T., 109
Sridhar, B.R., 284
Srinivasan, P., 262
Stoynov, L.A., 67
Su, D., 429
Sueyoshi, H., 41
Sulaiman, S., 436
Sun, D.S., 357
Sun, M.J., 223
Suzuki, S., 366
Syoji, K., 527

Takács, M., 152
Tam, K.S., 163
Tan, A.C.H., 123
Tang, C.Y., 1, 408, 610
Tang, Y., 385
Timms, N., 411
Tong, K.W., 361
Tracht, K., 16
Triantafyllidis, D., 102
Tucker, N., 311

Venkatesan, R., 262
Venkatraman, A., 28
Verö, B., 152

Wang, M., 455
Wang, S., 34
Wang, S.X., 484
Wei, X., 390
Wen-li, L., 243
Wenliang, C., 458
Weroński, W., 196
Wiendahl, H.-P., 189
Wimpenny, D.I., 214, 443
Wong, S.S.F., 311
Wong, S.V., 538
Wong, Y.K., 349
Wong, Y.S., 53
Wu, B., 385
Wu, Y.X., 518
Wu, Z.J., 513

Xia, W., 385, 479
Xieqing, H., 399
Xing, T., 116
Xiong, G.L., 379

Yamashita, M., 545, 564
Yan, H., 605
Yan, Q.S., 527
Yang, D.C.H., 138
Yarlagadda, P.K.D.V., 67, 75
Ye, B., 385, 464
Ye, L., 472
Yi, J.M., 379
Yong, T., 390
Yoshihara, S., 343
Yu, C., 475
Yu, S.Y., 484
Yu, X., 47
Yuan, J.L., 116
Yuhan, W., 472

Zeng, C., 379
Zhan, H.F., 600
Zhan, L.H., 403
Zhang, D., 479
Zhang, J., 475
Zhang, J.G., 357
Zhang, L., 47
Zhang, L.Y., 494
Zhang, Y., 34, 475
Zhang, Y.F., 53
Zhang, Z.Q., 527
Zhao, J., 475
Zhao, P., 116
Zhao, W.H., 116
Zhao, X., 605
Zheng, L., 513
Zheng, M., 513
Zhenghong, Q., 468
Zhixin, Z., 390
Zhong, J., 403, 518, 605
Zhou, L.S., 494
Zhou, M., 586
Zhou, R.R., 494
Zhu, Z., 605
Zhu, Z.H., 403
Zou, P., 461
Zuo, D., 455

ELSEVIER

Journal of Materials Processing Technology 138 (2003) 617–626

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volume 138

Abrasive wear
Comparative tribological study of hard and crack-free electro-deposited chromium coatings, 219
Acrylnitrile–butadiene–styrene copolymer
A study of the melt flow behaviour of ABS/$CaCO_3$ composites, 408
Adhesion
Adhesion improvement of CVD diamond film by introducing an electro-deposited interlayer, 455
A study of aluminum bronze adhesion on tools during turning, 479
Adhesive wear
Comparative tribological study of hard and crack-free electro-deposited chromium coatings, 219
Advanced manufacturing system
Advanced manufacturing system for forging products, 16
Air stream
Using air streams for part feeding systems—innovative and reliable solutions for orientation and transport, 189
AlCu2SiMn aluminium alloy
Comparative study of the flow characteristics of AlCu2SiMn alloy, 156
AlSi1Mg aluminium alloy
Influence of deformation parameters on grain size of AlSi1Mg alloy in forging, 196
Aluminium
Process design for hydroforming of lightweight metal sheets at elevated temperatures, 594
Aluminum bronze
A study of aluminum bronze adhesion on tools during turning, 479
Amorphization
Effect of milling speed on an Fe–C–Mn system alloy prepared by mechanical alloying, 41
Analytic hierarchy process
A fuzzy set AHP-based DFM tool for rotational parts, 223
Apparatus
Evaluation of strain and material flow in sheet-metal forming, 170
Arc
An approach for creating solid models from orthogonal views by identification of Boolean operations, 163
Arc spray
Metal spray tooling for composite forming, 443
Arc welding
Comparison of high power diode laser and Nd:YAG laser micro-welding of k-type thermocouples, 102
Asymmetric rolling
Theoretical analysis of the asymmetric rolling of sheets on leader and finishing stands, 183
Asymmetrical rolling
The influence of the thickness of a bimetallic layer (18G2A + 0H18N10T) on the distribution of the relative flow rate in asymmetrical rolling, 120
Autoclave
Metal spray tooling for composite forming, 443
Back propagation
Machinability data representation with artificial neural network, 538
Behavior model
Study on a reconfigurable model of an open CNC kernel, 472
Bézier curve
An approach for creating solid models from orthogonal views by identification of Boolean operations, 163
BHF
A database oriented process control design algorithm for improving deep-drawing performance, 343
Bimetallic plate
The influence of the thickness of a bimetallic layer (18G2A + 0H18N10T) on the distribution of the relative flow rate in asymmetrical rolling, 120
Bipod
Kinematic analysis of a biglide parallel grinder, 461
Bonding
The enamelling of concrete for improved performance characteristics by means of high power diode laser interaction, 551
Boolean operation
An approach for creating solid models from orthogonal views by identification of Boolean operations, 163
Boundary-conformed
Boundary-conformed toolpath generation for trimmed free-form surfaces via Coons reparametrization, 138
Brittle fracture
Feasibility of gentle mode machining of brittle materials and its condition, 522
Brittle material
Feasibility of gentle mode machining of brittle materials and its condition, 522
B-spline finite strip model
Large deflection analysis of composite laminates, 34
Bulge process
Lateral extrusion of A6063 aluminum alloy pipes with a lost core, 560
Bulk plasticity
Surface deformation vs. bulk plastic deformation—a key for microscopic control of surfaces in metal forming, 250
Buyer–supplier relationship
Buyer–supplier relationship: perspectives between Hong Kong and the United Kingdom, 236
Predicting purchasing performance: the role of supplier development programs, 243

C/C composite
Evaluation of the thermal shock shear strength of carbon–carbon (C/C) composite by a laser irradiation technique, 423
CAD
Computer-aided design and manufacturing of scroll compressors, 145
CAD/CAM
Development of a CAD/CAM system for the closed-die forging process, 436

Elsevier Science B.V.
doi:10.1016/S0924-0136(03)00636-8

CAD/CAM integration
A PDM- and CAD-integrated assembly modelling environment for manufacturing planning, 82
CAD/CAM/CAE
Integration of numerical analysis, virtual simulation and finite element analysis for the optimum design of worm gearing, 429
Calcium carbonate
A study of the melt flow behaviour of ABS/$CaCO_3$ composites, 408
CAM
Computer-aided design and manufacturing of scroll compressors, 145
Can forming
A fundamental study of can forming by the stretch-drawing process, 545
CAPP
Integration of scheduling with computer aided process planning, 297
Carbide end mill
Micromilling of metallic materials, 152
CCT thermogram
Research in spray forming technology and its applications in metallurgy, 357
Cellular metals
Effects of process parameters and alloy compositions on the pore structure of foamed aluminum, 505
Characterisation
An integrated strategy for materials characterisation and process simulation in electrochemical machining, 449
Chatter vibration
Theoretical analysis on chatter vibration in drilling and its suppression, 572
Chip formation
Feasibility of gentle mode machining of brittle materials and its condition, 522
Chlorinated rubber
An investigation into the feasibility and characteristics of using a 2.5 kW high power diode laser for paint stripping, 109
Chopping–extrusion
On chopping–extrusion of integral-fin copper tubes, 385
Chromating
Study of the corrosion properties of zinc–nickel alloy electrodeposits before and after chromating, 63
Circular cup drawing
An experimental study on the deep-drawing of metal-wire cloth, 564
Circular grid
Evaluation of strain and material flow in sheet-metal forming, 170
Cladding
High power diode laser cladding, 411
Cleaning
An investigation into the feasibility and characteristics of using a 2.5 kW high power diode laser for paint stripping, 109
Cloud data
Modelling cloud data for prototype manufacturing, 53
Model reconstruction from cloud data, 494
CNC system model
Study on a reconfigurable model of an open CNC kernel, 472
Co–Cr–Mo surgical implant alloys
Wear properties of Co–Cr–Mo–N plasma-melted surgical implant alloys, 231
Co-cured joining method
The manufacturing process of co-cured single and double lap joints and evaluation of the load-bearing capacities of co-cured joints, 89
Coefficient of friction
Development of nomograms for prediction of extrusion stress for P/M copper preforms at warm working temperatures, 28
Coining
Surface deformation vs. bulk plastic deformation—a key for microscopic control of surfaces in metal forming, 250
Collaborative product design
A web-based collaborative product design platform for dispersed network manufacturing, 600
Component segregation
The principle and technology of electromagnetic roll casting, 605
Composite
Metal spray tooling for composite forming, 443
The effect of machining on the surface properties of SiC/Al composites, 464
Composite shells
Effect of residual stresses in a filament wound laminated conical shell, 291
Compound semiconductor
Development of a resource planning system for compound semiconductor wafer manufacturing, 372
Compression test
Comparative study of the flow characteristics of AlCu2SiMn alloy, 156
Computer-aided assembly process planning
A PDM- and CAD-integrated assembly modelling environment for manufacturing planning, 82
Concrete
The enamelling of concrete for improved performance characteristics by means of high power diode laser interaction, 551
Concurrent engineering
Computer-aided design and manufacturing of scroll compressors, 145
A fuzzy set AHP-based DFM tool for rotational parts, 223
A new model of the customer–supplier partnership in new product development, 301
Development of a resource planning system for compound semiconductor wafer manufacturing, 372
Condition monitoring
Fault diagnosis of water hydraulic actuators under some simulated faults, 123
Conformal cooling
Rapid laminated tooling, 214
Constitutive law
A method to characterise superplastic materials in comparison with alternative methods, 417
Continuous roll casting
The principle and technology of electromagnetic roll casting, 605
Continuous surface
Convection cooling of a continuously moving surface in manufacturing processes, 332
Coons patch
Boundary-conformed toolpath generation for trimmed free-form surfaces via Coons reparametrization, 138
Corner radius
Machining precision in the face grinding of a groove bottom using a cup CBN quill, 527
Corrosion resistance
Study of the corrosion properties of zinc–nickel alloy electrodeposits before and after chromating, 63
Crack-free
Comparative tribological study of hard and crack-free electrodeposited chromium coatings, 219
Critical power density
Evaluation of the thermal shock shear strength of carbon–carbon (C/C) composite by a laser irradiation technique, 423
Cr12MoV
Research in spray forming technology and its applications in metallurgy, 357

Cross-wedge rolling
Tools optimisation in cross-wedge rolling, 176
Cu–15Ni–8Sn
Research in spray forming technology and its applications in metallurgy, 357
Curved pultrudate
Bent pultrusion—a method for the manufacture of pultrudate with controlled variation in curvature, 311
Cutting interface
Modelling of the dynamic tool–chip interface in metal cutting, 201
Cutting temperature
Experimental research on the dynamic characteristics of the cutting temperature in the process of high-speed milling, 468
Cutting tool
Adhesion improvement of CVD diamond film by introducing an electro-deposited interlayer, 455
Theoretical analysis on chatter vibration in drilling and its suppression, 572
Cutting tool wear
Experimental study on the milling of thin parts of titanium alloy (TC4), 489
CVD diamond film
Adhesion improvement of CVD diamond film by introducing an electro-deposited interlayer, 455

Database
A database oriented process control design algorithm for improving deep-drawing performance, 343
Decision support system
Integrating environmental criteria into the supplier selection process, 349
Deep-drawing
A database oriented process control design algorithm for improving deep-drawing performance, 343
A fundamental study of can forming by the stretch-drawing process, 545
An experimental study on the deep-drawing of metal-wire cloth, 564
Deformation network
Evaluation of strain and material flow in sheet-metal forming, 170
Deformation processed
Experimental study on the milling of thin parts of titanium alloy (TC4), 489
Derivative-based approach
Die shape optimal design in cold and hot extrusion, 316
Design for manufacturability
A fuzzy set AHP-based DFM tool for rotational parts, 223
Diamond cutting
Factors affecting form accuracy in diamond turning of optical components, 586
Diaphragm forming
Modelling and finite element treatment of intra-ply shearing of woven fabric, 47
Dimensional accuracy
Statistical analysis on accuracy of wax patterns used in investment casting process, 75
Diode laser
Comparison of high power diode laser and Nd:YAG laser microwelding of k-type thermocouples, 102
An investigation into the feasibility and characteristics of using a 2.5 kW high power diode laser for paint stripping, 109
Direct diode
High power diode laser cladding, 411
Discretization
3D upper-bound modeling for round-to-triangle section extrusion using the SERR technique, 499
Dispatching
Analysis of dynamic dispatching rules for a flexible manufacturing system, 325
Dispersed network manufacturing
A web-based collaborative product design platform for dispersed network manufacturing, 600
Double stretch-drawing
A fundamental study of can forming by the stretch-drawing process, 545
Drawing
Evaluation of strain and material flow in sheet-metal forming, 170
Drilling
Theoretical analysis on chatter vibration in drilling and its suppression, 572
Duplex coating
Comparative tribological study of hard and crack-free electrodeposited chromium coatings, 219
Dynamic scheduling
Analysis of dynamic dispatching rules for a flexible manufacturing system, 325

Early supplier involvement
A new model of the customer–supplier partnership in new product development, 301
Electrochemical machining
An integrated strategy for materials characterisation and process simulation in electrochemical machining, 449
Electrode
Analysis of the wear characteristics of an EDM electrode made by selective laser sintering, 475
Electro-deposition
Adhesion improvement of CVD diamond film by introducing an electro-deposited interlayer, 455
Electromagnetic field (EMF)
The principle and technology of electromagnetic roll casting, 605
Electronic commerce
Web-ERP: the new generation of enterprise resources planning, 590
Electronic packages
Optimization of process conditions for the transfer molding of electronic packages, 361
Electroplated CBN quill
Machining precision in the face grinding of a groove bottom using a cup CBN quill, 527
Elevated temperature
Process design for hydroforming of lightweight metal sheets at elevated temperatures, 594
Elroll
Theoretical analysis of the asymmetric rolling of sheets on leader and finishing stands, 183
Embossing
Evaluation of strain and material flow in sheet-metal forming, 170
Enamel
The enamelling of concrete for improved performance characteristics by means of high power diode laser interaction, 551
Energy absorption
Effect of residual stresses in a filament wound laminated conical shell, 291
Energy transfer
Mechanical alloying of refractory metal–silicon systems, 394
Engineering processes
Global distributed engineering—integrating different process paradigms, 131
Environmental management
Integrating environmental criteria into the supplier selection process, 349
Equiaxed crystal
The principle and technology of electromagnetic roll casting, 605

Extrusion
Development of nomograms for prediction of extrusion stress for P/M copper preforms at warm working temperatures, 28
Computer aided design and manufacture of streamlined extrusion dies, 262
3D upper-bound modeling for round-to-triangle section extrusion using the SERR technique, 499

Face grinding
Machining precision in the face grinding of a groove bottom using a cup CBN quill, 527
Failure criteria
The manufacturing process of co-cured single and double lap joints and evaluation of the load-bearing capacities of co-cured joints, 89
Fast roll casting
Modeling and simulating of the fast roll casting process, 403
Fatigue failure
Development of a CAD/CAM system for the closed-die forging process, 436
Fault diagnosis
Fault diagnosis of water hydraulic actuators under some simulated faults, 123
Feedrate control
An economical sculptured surface machining approach using fuzzy models and ball-nosed cutters, 579
FEM
Preform design in hydroforming of automobile lower arm by FEM, 58
A method to characterise superplastic materials in comparison with alternative methods, 417
FEM analysis
Evaluation of the thermal shock shear strength of carbon–carbon (C/C) composite by a laser irradiation technique, 423
FEM simulation
Feasibility of gentle mode machining of brittle materials and its condition, 522
Process design for hydroforming of lightweight metal sheets at elevated temperatures, 594
Filament wound
Effect of residual stresses in a filament wound laminated conical shell, 291
Filling
Surface deformation vs. bulk plastic deformation—a key for microscopic control of surfaces in metal forming, 250
Fine-blanking
An investigation on the formation and propagation of shear band in fine-blanking process, 610
Finite difference
An integrated strategy for materials characterisation and process simulation in electrochemical machining, 449
Finite element
Quasi-mode shape based dynamic finite element model updating method, 518
Finite element analysis
Integration of numerical analysis, virtual simulation and finite element analysis for the optimum design of worm gearing, 429
Finite element method
Development of a CAD/CAM system for the closed-die forging process, 436
Finite element simulation
Modelling and finite element treatment of intra-ply shearing of woven fabric, 47
Comparative study of the flow characteristics of AlCu2SiMn alloy, 156
Influence of deformation parameters on grain size of AlSi1Mg alloy in forging, 196
Finite-difference method
Comparison of surface heat-transfer coefficients between various diameter cylinders during rapid cooling, 399
Flexible forging line
Advanced manufacturing system for forging products, 16
Flexible manufacturing systems
Analysis of dynamic dispatching rules for a flexible manufacturing system, 325
Flow rate
The influence of the thickness of a bimetallic layer (18G2A + 0H18N10T) on the distribution of the relative flow rate in asymmetrical rolling, 120
Foamed aluminum
Effects of process parameters and alloy compositions on the pore structure of foamed aluminum, 505
Focussed microwave
Joining of engineering thermoplastics by concentrated beam insolation—a feasibility study, 67
Forging
Influence of deformation parameters on grain size of AlSi1Mg alloy in forging, 196
Development of a CAD/CAM system for the closed-die forging process, 436
Form accuracy
Factors affecting form accuracy in diamond turning of optical components, 586
Forming limit
Lateral extrusion of A6063 aluminum alloy pipes with a lost core, 560
Friction
Comparative tribological study of hard and crack-free electrodeposited chromium coatings, 219
Fuzzy adaptive control
A database oriented process control design algorithm for improving deep-drawing performance, 343
Fuzzy logic
An economical sculptured surface machining approach using fuzzy models and ball-nosed cutters, 579
Fuzzy sets
A fuzzy set AHP-based DFM tool for rotational parts, 223

GCr15
Research in spray forming technology and its applications in metallurgy, 357
Gentle mode cutting
Feasibility of gentle mode machining of brittle materials and its condition, 522
Glazing
The enamelling of concrete for improved performance characteristics by means of high power diode laser interaction, 551
Gouging avoidance
An approach to gouging avoidance for sculptured surface machining, 458
Grain size
Influence of deformation parameters on grain size of AlSi1Mg alloy in forging, 196
Gyroscopic effect
Study of the gyroscopic effect of the spindle on the stability characteristics of the milling system, 379

Handling
Using air streams for part feeding systems—innovative and reliable solutions for orientation and transport, 189
Hard chromium electrodeposition
Comparative tribological study of hard and crack-free electrodeposited chromium coatings, 219

Hardness
Research in spray forming technology and its applications in metallurgy, 357
The effect of machining on the surface properties of SiC/Al composites, 464
Hexahedral mesh generation
Hexahedral mesh generation for remeshing in three-dimensional metal forming analyses, 531
Hexapod
Kinematic analysis of a biglide parallel grinder, 461
High nitrogen content
Wear properties of Co–Cr–Mo–N plasma-melted surgical implant alloys, 231
High power diode laser (HPDL)
The enamelling of concrete for improved performance characteristics by means of high power diode laser interaction, 551
High speed milling
Experimental research on the dynamic characteristics of the cutting temperature in the process of high-speed milling, 468
HIP
Effect of milling speed on an Fe–C–Mn system alloy prepared by mechanical alloying, 41
Holding time
Statistical analysis on accuracy of wax patterns used in investment casting process, 75
Hollow products
Lateral extrusion of A6063 aluminum alloy pipes with a lost core, 560
Hot and cold forming
Die shape optimal design in cold and hot extrusion, 316
Hot deformation
Study of hot deformation through energy storage concept, 97
HPDL
Comparison of high power diode laser and Nd:YAG laser microwelding of k-type thermocouples, 102
An investigation into the feasibility and characteristics of using a 2.5 kW high power diode laser for paint stripping, 109
HVOF
Metal spray tooling for composite forming, 443
Hydroforming
Process design for hydroforming of lightweight metal sheets at elevated temperatures, 594
Hydroforming process
Preform design in hydroforming of automobile lower arm by FEM, 58

Impression
Evaluation of strain and material flow in sheet-metal forming, 170
Injection moulding
Rapid laminated tooling, 214
Integral-fin tubes
On chopping–extrusion of integral-fin copper tubes, 385
Integrated production management
Advanced manufacturing system for forging products, 16
Integration architecture
Global distributed engineering—integrating different process paradigms, 131
Integration paradigm
Global distributed engineering—integrating different process paradigms, 131
Integration system
Global distributed engineering—integrating different process paradigms, 131
Interfacial sliding
Surface deformation vs. bulk plastic deformation—a key for microscopic control of surfaces in metal forming, 250
Internet
A new model of the customer–supplier partnership in new product development, 301
Intra-ply shearing
Modelling and finite element treatment of intra-ply shearing of woven fabric, 47
Invar
Metal spray tooling for composite forming, 443
Inverse heat conduction
Experimental research on the dynamic characteristics of the cutting temperature in the process of high-speed milling, 468
Inverse method
Comparative study of the flow characteristics of AlCu2SiMn alloy, 156
Investment casting
Statistical analysis on accuracy of wax patterns used in investment casting process, 75

Just-in-time system
A study of system dynamics in just-in-time logistics, 265

Kinematically admissible velocity field
3D upper-bound modeling for round-to-triangle section extrusion using the SERR technique, 499
k-Type
Comparison of high power diode laser and Nd:YAG laser microwelding of k-type thermocouples, 102

Laminated composite plates
Large deflection analysis of composite laminates, 34
Laminated tooling
Rapid laminated tooling, 214
Lapping and polishing
Lapping and polishing process for obtaining super-smooth surfaces of quartz crystal, 116
Laser
Comparison of high power diode laser and Nd:YAG laser microwelding of k-type thermocouples, 102
High power diode laser cladding, 411
Laser irradiation
Evaluation of the thermal shock shear strength of carbon–carbon (C/C) composite by a laser irradiation technique, 423
Laser paint stripping
An investigation into the feasibility and characteristics of using a 2.5 kW high power diode laser for paint stripping, 109
LDR
A database oriented process control design algorithm for improving deep-drawing performance, 343
Lightweight construction
Process design for hydroforming of lightweight metal sheets at elevated temperatures, 594
Localisation
Panorama of toys design and development in Hong Kong, 270
Low temperature melting alloy
Lateral extrusion of A6063 aluminum alloy pipes with a lost core, 560
Low pull force
Bent pultrusion—a method for the manufacture of pultrudate with controlled variation in curvature, 311
Lower arm
Preform design in hydroforming of automobile lower arm by FEM, 58

Machinability data selection
Machinability data representation with artificial neural network, 538

Machine tool
Kinematic analysis of a biglide parallel grinder, 461
Theoretical analysis on chatter vibration in drilling and its suppression, 572
Machining
Modelling of the dynamic tool–chip interface in metal cutting, 201
The effect of machining on the surface properties of SiC/Al composites, 464
Machining tools
A study of aluminum bronze adhesion on tools during turning, 479
Macrosegregation
Macrosegregation in thin walled castings produced via the direct squeeze casting process, 306
Magnesium
Process design for hydroforming of lightweight metal sheets at elevated temperatures, 594
Manufacturing
The evaluation of manufacturing issues in the product development process, 2
Manufacturing processes
Convection cooling of a continuously moving surface in manufacturing processes, 332
Manufacturing system management
Co-existence of paradigms as a manufacturing management strategy, 9
Martensite
Research in spray forming technology and its applications in metallurgy, 357
Materials model
Study of hot deformation through energy storage concept, 97
Mean flow stress
Development of nomograms for prediction of extrusion stress for P/M copper preforms at warm working temperatures, 28
Mechanical alloying
Effect of milling speed on an Fe–C–Mn system alloy prepared by mechanical alloying, 41
Mechanical alloying of refractory metal–silicon systems, 394
Mechanical properties
Wear properties of Co–Cr–Mo–N plasma-melted surgical implant alloys, 231
Mechanism of material removal
An experimental study on molecular dynamics simulation in nanometer grinding, 484
Mechanism of surface generation
An experimental study on molecular dynamics simulation in nanometer grinding, 484
Melt drag twin-roll caster
A twin-roll caster to cast clad strip, 366
Melt flow rate
A study of the melt flow behaviour of ABS/$CaCO_3$ composites, 408
Metal carrier
The establishment and analysis of fin formation model during ploughing process, 390
Metal spray
Metal spray tooling for composite forming, 443
Metallography
Evaluation of strain and material flow in sheet-metal forming, 170
Metal-wire cloth
An experimental study on the deep-drawing of metal-wire cloth, 564
Microhardness tests
Evaluation of strain and material flow in sheet-metal forming, 170
Micromilling
Micromilling of metallic materials, 152
Microstructure
Evaluation of strain and material flow in sheet-metal forming, 170
Research in spray forming technology and its applications in metallurgy, 357
An investigation on the formation and propagation of shear band in fine-blanking process, 610
Milling alloy
Experimental study on the milling of thin parts of titanium alloy (TC4), 489
Milling chatter
Study of the gyroscopic effect of the spindle on the stability characteristics of the milling system, 379
Milling process simulation
A solid model-based milling process simulation and optimization system integrated with CAD/CAM, 513
Model reconstruction
Model reconstruction from cloud data, 494
Model updating
Quasi-mode shape based dynamic finite element model updating method, 518
Modelling
Modelling and finite element treatment of intra-ply shearing of woven fabric, 47
Modeling and simulating of the fast roll casting process, 403
Molecular dynamics
An experimental study on molecular dynamics simulation in nanometer grinding, 484
Mo–Si and V–Si
Mechanical alloying of refractory metal–silicon systems, 394
Multiple objective optimisation
The reconfiguration issues in manufacturing systems, 277

Nanometer grinding
An experimental study on molecular dynamics simulation in nanometer grinding, 484
NC machining
An approach to gouging avoidance for sculptured surface machining, 458
Nd:YAG
Comparison of high power diode laser and Nd:YAG laser microwelding of k-type thermocouples, 102
Neural network
Machinability data representation with artificial neural network, 538
New product development (NPD)
The evaluation of manufacturing issues in the product development process, 2
A new model of the customer–supplier partnership in new product development, 301
Nomograms
Development of nomograms for prediction of extrusion stress for P/M copper preforms at warm working temperatures, 28
Non-Newtonian fluid
Convection cooling of a continuously moving surface in manufacturing processes, 332
Nucleate
The principle and technology of electromagnetic roll casting, 605
Numerical analysis
Integration of numerical analysis, virtual simulation and finite element analysis for the optimum design of worm gearing, 429
Numerical simulation
A fundamental study of can forming by the stretch-drawing process, 545
An experimental study on the deep-drawing of metal-wire cloth, 564

Object model
Web-ERP: the new generation of enterprise resources planning, 590
Octree based mesh refinement
Hexahedral mesh generation for remeshing in three-dimensional metal forming analyses, 531
Optimisation
Tools optimisation in cross-wedge rolling, 176
Ordinary Portland cement (OPC)
The enamelling of concrete for improved performance characteristics by means of high power diode laser interaction, 551
Orienting devices
Using air streams for part feeding systems—innovative and reliable solutions for orientation and transport, 189

Paint removal
An investigation into the feasibility and characteristics of using a 2.5 kW high power diode laser for paint stripping, 109
Parallel robot
Kinematic analysis of a biglide parallel grinder, 461
Part feeding
Using air streams for part feeding systems—innovative and reliable solutions for orientation and transport, 189
Particle refinement
Effect of milling speed on an Fe–C–Mn system alloy prepared by mechanical alloying, 41
PDM
Global distributed engineering—integrating different process paradigms, 131
Pearlite
Research in spray forming technology and its applications in metallurgy, 357
Performance improvement
Predicting purchasing performance: the role of supplier development programs, 243
Phase transitions
Mechanical alloying of refractory metal–silicon systems, 394
Plasma
Wear properties of Co–Cr–Mo–N plasma-melted surgical implant alloys, 231
Plastic forming
On chopping–extrusion of integral-fin copper tubes, 385
Plasticity
New research on the stress field of elastic–plastic small deformation problems, 508
Post-treatment
Analysis of the wear characteristics of an EDM electrode made by selective laser sintering, 475
Powder injection
High power diode laser cladding, 411
Powder metallurgy
Development of nomograms for prediction of extrusion stress for P/M copper preforms at warm working temperatures, 28
Precision cold forging
A study on precision cold forging process improvements for the steering yoke of automobiles by the rigid–plastic finite-element method, 339
Pre-emptive
Analysis of dynamic dispatching rules for a flexible manufacturing system, 325
Preform design
Preform design in hydroforming of automobile lower arm by FEM, 58
Pre-placed powder
High power diode laser cladding, 411
Pre-roll ploughing
The establishment and analysis of fin formation model during ploughing process, 390
Process condition
Optimization of process conditions for the transfer molding of electronic packages, 361
Process integration
Global distributed engineering—integrating different process paradigms, 131
Process optimal design
Die shape optimal design in cold and hot extrusion, 316
Process optimization
A solid model-based milling process simulation and optimization system integrated with CAD/CAM, 513
Process simulation
Optimization of process conditions for the transfer molding of electronic packages, 361
An integrated strategy for materials characterisation and process simulation in electrochemical machining, 449
Processing
An investigation into the feasibility and characteristics of using a 2.5 kW high power diode laser for paint stripping, 109
Product data management
A PDM- and CAD-integrated assembly modelling environment for manufacturing planning, 82
A web-based collaborative product design platform for dispersed network manufacturing, 600
Product development process (PDP)
The evaluation of manufacturing issues in the product development process, 2
Product neuron
Machinability data representation with artificial neural network, 538
Production planning
Development of a resource planning system for compound semiconductor wafer manufacturing, 372
Pultrusion
Bent pultrusion—a method for the manufacture of pultrudate with controlled variation in curvature, 311

Quality circle
Panorama of toys design and development in Hong Kong, 270
Quartz crystal
Lapping and polishing process for obtaining super-smooth surfaces of quartz crystal, 116
Quasi-mode shape
Quasi-mode shape based dynamic finite element model updating method, 518
Quenching
Comparison of surface heat-transfer coefficients between various diameter cylinders during rapid cooling, 399

Rapid prototyping
Modelling cloud data for prototype manufacturing, 53
Rapid laminated tooling, 214
Rapid prototyping manufacturing
Analysis of the wear characteristics of an EDM electrode made by selective laser sintering, 475
Real-time
Study on a reconfigurable model of an open CNC kernel, 472
Reconfiguration
The reconfiguration issues in manufacturing systems, 277
Recrystallisation
Study of hot deformation through energy storage concept, 97
Effect of recrystallisation on the residual stress pattern and fatigue behaviour of titanium alloy IMI-685, 284
Regional comparison
Buyer–supplier relationship: perspectives between Hong Kong and the United Kingdom, 236

Regression analysis
A method to characterise superplastic materials in comparison with alternative methods, 417
Remeshing
Hexahedral mesh generation for remeshing in three-dimensional metal forming analyses, 531
Residual stress
Effect of residual stress on thermal fatigue in a type 420 martensitic stainless steel weldment, 22
Effect of recrystallisation on the residual stress pattern and fatigue behaviour of titanium alloy IMI-685, 284
Effect of residual stresses in a filament wound laminated conical shell, 291
The effect of machining on the surface properties of SiC/Al composites, 464
New research on the stress field of elastic–plastic small deformation problems, 508
Resource planning
Development of a resource planning system for compound semiconductor wafer manufacturing, 372
Retained ferrite
Effect of residual stress on thermal fatigue in a type 420 martensitic stainless steel weldment, 22
Reverse engineering
Modelling cloud data for prototype manufacturing, 53
Model reconstruction from cloud data, 494
Rigid–plastic finite-element method
A study on precision cold forging process improvements for the steering yoke of automobiles by the rigid–plastic finite-element method, 339
Roll
Research in spray forming technology and its applications in metallurgy, 357
Roll casting
A twin-roll caster to cast clad strip, 366
Rotating spindle
Study of the gyroscopic effect of the spindle on the stability characteristics of the milling system, 379
RTV moulding
Statistical analysis on accuracy of wax patterns used in investment casting process, 75

Scheduling
Integration of scheduling with computer aided process planning, 297
Scroll compressor
Computer-aided design and manufacturing of scroll compressors, 145
Sculptured surface machining
An economical sculptured surface machining approach using fuzzy models and ball-nosed cutters, 579
Secondary shear zone
Modelling of the dynamic tool–chip interface in metal cutting, 201
Segmentation
Modelling cloud data for prototype manufacturing, 53
Segregation
Macrosegregation in thin walled castings produced via the direct squeeze casting process, 306
Selective laser sintering
Analysis of the wear characteristics of an EDM electrode made by selective laser sintering, 475
Sendzimir Steel Works
Theoretical analysis of the asymmetric rolling of sheets on leader and finishing stands, 183
Shape quality
An experimental study on the deep-drawing of metal-wire cloth, 564
Shear bands
An investigation on the formation and propagation of shear band in fine-blanking process, 610
Shear faced die
Computer aided design and manufacture of streamlined extrusion dies, 262
Shear strain rate
Modelling of the dynamic tool–chip interface in metal cutting, 201
Sheet-metal
Evaluation of strain and material flow in sheet-metal forming, 170
Simulating
Modeling and simulating of the fast roll casting process, 403
Simulation
The reconfiguration issues in manufacturing systems, 277
Analysis of dynamic dispatching rules for a flexible manufacturing system, 325
Simulation experiment
An experimental study on molecular dynamics simulation in nanometer grinding, 484
Simulation model
Co-existence of paradigms as a manufacturing management strategy, 9
Small deformation
New research on the stress field of elastic–plastic small deformation problems, 508
Solar beam
Joining of engineering thermoplastics by concentrated beam insolation—a feasibility study, 67
Solar energy concentration
Joining of engineering thermoplastics by concentrated beam insolation—a feasibility study, 67
Solid modelling
Computer-aided design and manufacturing of scroll compressors, 145
Spray forming
Research in spray forming technology and its applications in metallurgy, 357
Square cup drawing
An experimental study on the deep-drawing of metal-wire cloth, 564
Squeeze casting process
Macrosegregation in thin walled castings produced via the direct squeeze casting process, 306
Stability chart
Theoretical analysis on chatter vibration in drilling and its suppression, 572
Stacking sequence
The manufacturing process of co-cured single and double lap joints and evaluation of the load-bearing capacities of co-cured joints, 89
Stainless steel strip
The establishment and analysis of fin formation model during ploughing process, 390
Stamping
Evaluation of strain and material flow in sheet-metal forming, 170
State machine
Study on a reconfigurable model of an open CNC kernel, 472
Steering yoke
A study on precision cold forging process improvements for the steering yoke of automobiles by the rigid–plastic finite-element method, 339
Strain–displacement relationship
Large deflection analysis of composite laminates, 34

Streamlined
Computer aided design and manufacture of streamlined extrusion dies, 262
Stress field
New research on the stress field of elastic–plastic small deformation problems, 508
Stress–strain curves
Study of hot deformation through energy storage concept, 97
Stretch-drawing
A fundamental study of can forming by the stretch-drawing process, 545
Strip casting
A twin-roll caster to cast clad strip, 366
Success ratio
Quasi-mode shape based dynamic finite element model updating method, 518
Superplasticity
A method to characterise superplastic materials in comparison with alternative methods, 417
Super-saturated solid solution
Effect of milling speed on an Fe–C–Mn system alloy prepared by mechanical alloying, 41
Super-smooth surface
Lapping and polishing process for obtaining super-smooth surfaces of quartz crystal, 116
Supplier development
Predicting purchasing performance: the role of supplier development programs, 243
Supplier selection
Integrating environmental criteria into the supplier selection process, 349
Supply chain
A new model of the customer–supplier partnership in new product development, 301
Web-ERP: the new generation of enterprise resources planning, 590
Supply chain management
Buyer–supplier relationship: perspectives between Hong Kong and the United Kingdom, 236
Surface heat-transfer coefficient
Comparison of surface heat-transfer coefficients between various diameter cylinders during rapid cooling, 399
Surface microgeometry
Surface deformation vs. bulk plastic deformation—a key for microscopic control of surfaces in metal forming, 250
Surface roughness
Micromilling of metallic materials, 152
Machining precision in the face grinding of a groove bottom using a cup CBN quill, 527
Surface treatment
The manufacturing process of co-cured single and double lap joints and evaluation of the load-bearing capacities of co-cured joints, 89
Surface triangulation
An approach to gouging avoidance for sculptured surface machining, 458
System dynamics
Co-existence of paradigms as a manufacturing management strategy, 9
A study of system dynamics in just-in-time logistics, 265

Tabu search
The reconfiguration issues in manufacturing systems, 277
Taguchi method
Optimization of process conditions for the transfer molding of electronic packages, 361
Temperature
Comparison of high power diode laser and Nd:YAG laser microwelding of k-type thermocouples, 102
Comparison of surface heat-transfer coefficients between various diameter cylinders during rapid cooling, 399
Tensile load-bearing capacity
The manufacturing process of co-cured single and double lap joints and evaluation of the load-bearing capacities of co-cured joints, 89
Theory of constraints
Co-existence of paradigms as a manufacturing management strategy, 9
Thermal fatigue
Effect of residual stress on thermal fatigue in a type 420 martensitic stainless steel weldment, 22
Thermal shock strength
Evaluation of the thermal shock shear strength of carbon–carbon (C/C) composite by a laser irradiation technique, 423
Thermocouples
Comparison of high power diode laser and Nd:YAG laser microwelding of k-type thermocouples, 102
Thermoplastic welding
Joining of engineering thermoplastics by concentrated beam insolation—a feasibility study, 67
Thermo-rigid-viscoplastic finite element analysis
Hexahedral mesh generation for remeshing in three-dimensional metal forming analyses, 531
Thickness layers ratio
The influence of the thickness of a bimetallic layer (18G2A + 0H18N10T) on the distribution of the relative flow rate in asymmetrical rolling, 120
Thin strip
A twin-roll caster to cast clad strip, 366
Titanium alloy IMI-685
Effect of recrystallisation on the residual stress pattern and fatigue behaviour of titanium alloy IMI-685, 284
Tool
Tools optimisation in cross-wedge rolling, 176
Tool offset
Factors affecting form accuracy in diamond turning of optical components, 586
Tool wear
Factors affecting form accuracy in diamond turning of optical components, 586
Tooling
Metal spray tooling for composite forming, 443
Toolpath generation
Boundary-conformed toolpath generation for trimmed free-form surfaces via Coons reparametrization, 138
TOPSIS
Optimization of process conditions for the transfer molding of electronic packages, 361
Torsion test
Comparative study of the flow characteristics of AlCu2SiMn alloy, 156
Toys design and development
Panorama of toys design and development in Hong Kong, 270
Transfer molding
Optimization of process conditions for the transfer molding of electronic packages, 361
Tribo-layer
Modelling of the dynamic tool–chip interface in metal cutting, 201
Tribology
Surface deformation vs. bulk plastic deformation—a key for microscopic control of surfaces in metal forming, 250

Trimmed surface
Boundary-conformed toolpath generation for trimmed free-form surfaces via Coons reparametrization, 138
Tube forming
Lateral extrusion of A6063 aluminum alloy pipes with a lost core, 560
Twin-roll caster
A twin-roll caster to cast clad strip, 366

Upper bound
3D upper-bound modeling for round-to-triangle section extrusion using the SERR technique, 499
UV cure
Bent pultrusion—a method for the manufacture of pultrudate with controlled variation in curvature, 311

Virtual manufacturing
Integration of numerical analysis, virtual simulation and finite element analysis for the optimum design of worm gearing, 429

Water hydraulic axial piston motor
Fault diagnosis of water hydraulic actuators under some simulated faults, 123
Water hydraulic cylinder
Fault diagnosis of water hydraulic actuators under some simulated faults, 123
Water hydraulics
Fault diagnosis of water hydraulic actuators under some simulated faults, 123
Wear
Comparative tribological study of hard and crack-free electrodeposited chromium coatings, 219
Analysis of the wear characteristics of an EDM electrode made by selective laser sintering, 475
Wear life
The enamelling of concrete for improved performance characteristics by means of high power diode laser interaction, 551
Wear properties
Wear properties of Co–Cr–Mo–N plasma-melted surgical implant alloys, 231
Web-based
A web-based collaborative product design platform for dispersed network manufacturing, 600
Web-ERP
Web-ERP: the new generation of enterprise resources planning, 590
Welding
Effect of residual stress on thermal fatigue in a type 420 martensitic stainless steel weldment, 22
Comparison of high power diode laser and Nd:YAG laser microwelding of k-type thermocouples, 102
Wettability
The enamelling of concrete for improved performance characteristics by means of high power diode laser interaction, 551
World Trade Organisation
Panorama of toys design and development in Hong Kong, 270
World wide web
A new model of the customer–supplier partnership in new product development, 301
Worm gears
Integration of numerical analysis, virtual simulation and finite element analysis for the optimum design of worm gearing, 429

Zn–Ni alloys plating
Study of the corrosion properties of zinc–nickel alloy electrodeposits before and after chromating, 63